









- storage degradation costs. *Energy conversion and management*, 153, 34-47, <https://doi.org/10.1016/j.enconman.2017.09.076>.
- [4] Lai, C. S., & McCulloch, M. D. (2016). Sizing of stand-alone solar PV and storage system with anaerobic digestion biogas power plants. *IEEE Transactions on Industrial Electronics*, 64(3), 2112-2121, <https://doi.org/10.1109/TIE.2016.2625781>.
- [5] Kirim, Y.; Sadikoglu, H.; Melikoglu, M. Technical and economic analysis of biogas and solar photovoltaic (PV) hybrid renewable energy system for dairy cattle barns. *Renew. Energy* 2022, 188, 873–889. <https://doi.org/10.1016/j.renene.2022.02.082>.
- [6] Sarkar, T., Bhattacharjee, A., Samanta, H., Bhattacharya, K., & Saha, H. (2019). Optimal design and implementation of solar PV-wind-biogas-VRFB storage integrated smart hybrid microgrid for ensuring zero loss of power supply probability. *Energy conversion and management*, 191, 102-118, <https://doi.org/10.1016/j.enconman.2019.04.025>.
- [7] Al-Masri, H. M., & Al-Sharqi, A. A. (2020). Technical design and optimal energy management of a hybrid PV biogas energy system using multi-objective grey wolf optimisation. *IET Renewable Power Generation*, 14(14), 2765-2778, <https://doi.org/10.1049/iet-rpg.2020.0330>.
- [8] Escrivá-Escrivá, G., Roldán-Blay, C., & Álvarez-Bel, C. (2014). Electrical consumption forecast using actual data of building end-use decomposition. *Energy and buildings*, 82, 73-81, <https://doi.org/10.1016/j.enbuild.2014.07.024>.